

ACRYLAMIDE ----- Percent

DANGER! Cancer hazard !

CAS# 79-06-1

NFPA RATINGS (SCALE 0-4): Health=2 Fire=1 Reactivity=2

STATEMENT OF HAZARDS:

Suspect cancer hazard (contains material which can cause cancer in animals). Risk of cancer depends on duration and level of contact. Harmful if absorbed through skin. Harmful if swallowed. Causes skin and eye irritation. May be irritating to the respiratory tract. May cause eye damage. May polymerize and violently rupture container. May form flammable or explosive dust-air mixtures.

PRECAUTIONARY STATEMENTS:

Avoid breathing dust. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Avoid contact with incompatible materials. Avoid creation of dust. Wash thoroughly after handling. Use only with adequate ventilation. Handle with caution.

FIRST AID:

Inhalation: Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Skin contact: Remove contaminated clothing and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15-20 minutes). Ingestion: If the person is conscious and not convulsing, induce emesis by giving syrup of ipecac followed by water. (If vomiting occurs keep the head below the hips to prevent aspiration). Repeat in 20 minutes if not effective initially. Give activated charcoal. Get medical attention immediately.

ACRYLAMIDE ----- Percent

DANGER! Cancer hazard !

CAS# 79-06-1

NFPA RATINGS (SCALE 0-4): Health=2 Fire=1 Reactivity=2

STATEMENT OF HAZARDS:

Suspect cancer hazard (contains material which can cause cancer in animals). Risk of cancer depends on duration and level of contact. Harmful if absorbed through skin. Harmful if swallowed. Causes skin and eye irritation. May be irritating to the respiratory tract. May cause eye damage. May polymerize and violently rupture container. May form flammable or explosive dust-air mixtures.

PRECAUTIONARY STATEMENTS:

Avoid breathing dust. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Avoid contact with incompatible materials. Avoid creation of dust. Wash thoroughly after handling. Use only with adequate ventilation. Handle with caution.

FIRST AID:

Inhalation: Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Skin contact: Remove contaminated clothing and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15-20 minutes). Ingestion: If the person is conscious and not convulsing, induce emesis by giving syrup of ipecac followed by water. (If vomiting occurs keep the head below the hips to prevent aspiration). Repeat in 20 minutes if not effective initially. Give activated charcoal. Get medical attention immediately.

ACRYLAMIDE ----- Percent

DANGER! Cancer hazard !

CAS# 79-06-1

NFPA RATINGS (SCALE 0-4): Health=2 Fire=1 Reactivity=2

STATEMENT OF HAZARDS:

Suspect cancer hazard (contains material which can cause cancer in animals). Risk of cancer depends on duration and level of contact. Harmful if absorbed through skin. Harmful if swallowed. Causes skin and eye irritation. May be irritating to the respiratory tract. May cause eye damage. May polymerize and violently rupture container. May form flammable or explosive dust-air mixtures.

PRECAUTIONARY STATEMENTS:

Avoid breathing dust. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Avoid contact with incompatible materials. Avoid creation of dust. Wash thoroughly after handling. Use only with adequate ventilation. Handle with caution.

FIRST AID:

Inhalation: Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Skin contact: Remove contaminated clothing and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15-20 minutes). Ingestion: If the person is conscious and not convulsing, induce emesis by giving syrup of ipecac followed by water. (If vomiting occurs keep the head below the hips to prevent aspiration). Repeat in 20 minutes if not effective initially. Give activated charcoal. Get medical attention immediately.

ACRYLAMIDE ----- Percent

DANGER! Cancer hazard !

CAS# 79-06-1

NFPA RATINGS (SCALE 0-4): Health=2 Fire=1 Reactivity=2

STATEMENT OF HAZARDS:

Suspect cancer hazard (contains material which can cause cancer in animals). Risk of cancer depends on duration and level of contact. Harmful if absorbed through skin. Harmful if swallowed. Causes skin and eye irritation. May be irritating to the respiratory tract. May cause eye damage. May polymerize and violently rupture container. May form flammable or explosive dust-air mixtures.

PRECAUTIONARY STATEMENTS:

Avoid breathing dust. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Avoid contact with incompatible materials. Avoid creation of dust. Wash thoroughly after handling. Use only with adequate ventilation. Handle with caution.

FIRST AID:

Inhalation: Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Skin contact: Remove contaminated clothing and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15-20 minutes). Ingestion: If the person is conscious and not convulsing, induce emesis by giving syrup of ipecac followed by water. (If vomiting occurs keep the head below the hips to prevent aspiration). Repeat in 20 minutes if not effective initially. Give activated charcoal. Get medical attention immediately.

ACRYLAMIDE ----- Percent

DANGER! Cancer hazard !

CAS# 79-06-1

NFPA RATINGS (SCALE 0-4): Health=2 Fire=1 Reactivity=2

STATEMENT OF HAZARDS:

Suspect cancer hazard (contains material which can cause cancer in animals). Risk of cancer depends on duration and level of contact. Harmful if absorbed through skin. Harmful if swallowed. Causes skin and eye irritation. May be irritating to the respiratory tract. May cause eye damage. May polymerize and violently rupture container. May form flammable or explosive dust-air mixtures.

PRECAUTIONARY STATEMENTS:

Avoid breathing dust. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Avoid contact with incompatible materials. Avoid creation of dust. Wash thoroughly after handling. Use only with adequate ventilation. Handle with caution.

FIRST AID:

Inhalation: Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Skin contact: Remove contaminated clothing and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15-20 minutes). Ingestion: If the person is conscious and not convulsing, induce emesis by giving syrup of ipecac followed by water. (If vomiting occurs keep the head below the hips to prevent aspiration). Repeat in 20 minutes if not effective initially. Give activated charcoal. Get medical attention immediately.

ACRYLAMIDE ----- Percent

DANGER! Cancer hazard !

CAS# 79-06-1

NFPA RATINGS (SCALE 0-4): Health=2 Fire=1 Reactivity=2

STATEMENT OF HAZARDS:

Suspect cancer hazard (contains material which can cause cancer in animals). Risk of cancer depends on duration and level of contact. Harmful if absorbed through skin. Harmful if swallowed. Causes skin and eye irritation. May be irritating to the respiratory tract. May cause eye damage. May polymerize and violently rupture container. May form flammable or explosive dust-air mixtures.

PRECAUTIONARY STATEMENTS:

Avoid breathing dust. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Avoid contact with incompatible materials. Avoid creation of dust. Wash thoroughly after handling. Use only with adequate ventilation. Handle with caution.

FIRST AID:

Inhalation: Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Skin contact: Remove contaminated clothing and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water until no evidence of chemical remains (approximately 15-20 minutes). Ingestion: If the person is conscious and not convulsing, induce emesis by giving syrup of ipecac followed by water. (If vomiting occurs keep the head below the hips to prevent aspiration). Repeat in 20 minutes if not effective initially. Give activated charcoal. Get medical attention immediately.